

# PMC

## 2061

### SELF-SERVICE KIOSK

PMC 2061 is a multi-purpose self-service kiosk designed to process bet transactions. With its robust design it has the capacity to adapt to a range of settings including town-centre retail outlets and at the racecourse.

#### ERGONOMY

User-friendly, it delivers an enhanced user experience and is accessible to all users, including those with a disability.

#### AUTONOMY

The long-life capacity of the paper roll and receipt holder allow several days' functionality without servicing.

#### SECURITY

The sensitive functions, notably the payment module, deliver enhanced security safeguards.



**TECHNICAL SPECIFICATIONS**



**DIMENSIONS**  
Height 1450 mm  
Width 540 mm  
Depth 400 mm



**WEIGHT**  
76 kg



**OPERATING CONDITIONS**  
Temperature: 0 - 45°C  
Humidity: 20-80% condensation-free



**STANDARDS**  
Complies with 89/336/EEC, ROHS and DEEE standards

◇ **COMMUNICATION INTERFACES**

1 Ethernet port IEEE 802.3 - 10/100Base T  
4 USB 2.0 ports

CPU ◇

INTEL® Celeron M® processor  
RAM: 1GB DDR  
Hard drive: 320GB (expandable)  
Non-volatile memory: 32KB

◇ **SOFTWARE**

Microsoft® Windows® XP Embedded  
Multi-tasking operating system, downloadable application software (fully scalable)

◇ **OPTION**

Multi-currency note and coin acceptor  
Contactless card reader

◇ **PAPER**

80g thermo-sensitive paper  
230m paper roll (approx. 2 300 receipts)

◇ **PRINTER**

203 dpi thermal printer  
Print speed: 20cm/second  
Paper roll and end of roll detector  
Electronic paper supply sensor  
Lifecycle: 100km paper roll (approx. 1m receipts)  
Receipt monitoring and validation before printing

◇ **COMMUNICATION PROTOCOLS**

TCP/IP, PPP, FTP, PMC/NET & PMC/XNET

◇ **POWER SOURCE**

Electricity  
Voltage: 100 - 240V adaptive voltage  
Frequency: 50 - 60 Hz  
Rated Power: 75W Nominal

◇ **SCANNER**

203 dpi scanner for pre-marked tickets and receipts  
Scan speed 60cm/second  
2-way ticket scanner  
Receipt authentication  
Invalidates paid tickets  
1D, 2D and OCR-B barcode reader

◇ **USER INTERFACE**

LCD/TFT 15" colour touchscreen monitor (1024x768mm)  
Anti-vandal projected capacitive touchscreen (6mm)



All products in the PMC range meet ISO 9001 v2008 standards. PMC 2031 carries the "Origine France Garantie" label, highlighting its authentic French Origin.

## OTHER PRODUCTS IN THE PMC RANGE



PMC 2031 is an innovative, counter-top terminal designed to process bet transactions. With its modular format, it is designed to adapt to challenging environments in town-centre retail outlets or at the racecourse.



PMC EGGO is a transportable terminal designed to process bet transactions. With its extensive communications interfaces (Ethernet, 3G and Wi-Fi) and integrated batteries, operators are able to circulate freely around venues.



PMC 2020 is a high-performance counter terminal designed to process bet transactions. With its all-in-one format, it can adapt to a range of environments, from town-centre retail outlets to racecourses.